

EVC410



All-in-one Huddle Room Camera

The EVERET EVC410 is a professional all-in-one conference camera with auto framing, soundbar, beamforming microphone array and ultra-wide lens designed for huddle rooms and small meeting rooms.

Features:

- ▶ Ultra crystal video quality with advanced AI to support auto framing of participants at meeting
- ▶ USB2.0 YUY2/NV12/MJPG/H.264/H.265 video format, works with Windows, MAC OS, Android, Linux OS
- ▶ 1/2.8" 8.42 MP Sony sensor, high quality optical full glass lens
- ▶ 3840×2160@30 UHD resolution
- ▶ Build-in Sound Bar
- ▶ WDR, 3DNR, Mirror, Flip and Anti-flicker features
- ▶ 4x digital zoom, 120 degree view angle without distortion
- ▶ Built-in microphone array with 4 omni directional microphones, pick up distance 5m
- ▶ Type-C port output, Single USB cable for video output, camera control and power supply
- ▶ Versatile mount, Image flip for upside down installation
- ▶ Anti Flicker feature
- ▶ UVC control via USB port with virtually any video conferencing application
- ▶ PoE
- ▶ Works with Microsoft Teams, Zoom Rooms and Google Meet
- ▶ Remote control for menu, ePTZ functions, Presets and Auto framing on/off/trigger
- ▶ 3 year warranty

Product specifications

Camera	EVC410
Sensor	Sony 1/2.8 inch 8.42 MP CMOS sensor
Video	
Video Interface	USB 2.0 (type-C)
Video Format	
	YUY2/NV12 1280*720@15 1024*576@20 640*480@30 MJPG 3840*2160@30 2560*1440@30 1920*1080@30 1280*720@30 1024*576@30 640*480@30 H.264/H.265 3840*2160@30 2560*1440@30 1920*1080@30 1280*720@30 1024*576@30 640*480@30
USB 2.0	
Audio	
Microphone	360° Omni-directional and 5 meters voice pickup
Lens	
Lens	12-megapixel fixed lens
Focal Length	f=2.20mm
Digital Zoom	4x
Field of View	120°
PTZ	
ePTZ	Yes
Presets	IR Remote: 3
Auto framing	Yes (auto/manual/push)
Image	
Shutter Speed	1/30 – 1/10000s
Iris	F=2.2

Product specifications

Camera	EVC400
Distance	3~5 meters
Video S/N Ratio	>50dB
Minimum Illumination	0.01 lux
Focus	Auto
Gain Level	0-15
White Balance Modes	Auto/ Manual
Exposure Modes	Auto/ Manual
Gamma	0-15
Anti-Flicker	OFF / 50Hz / 60Hz
3D NR	OFF / Auto / Level 1-4
2D NR	Yes
DEFOG	Yes
Image Flip	Yes
Image Mirror	Yes
Back Light Compensation	Yes
Control	
IR Remote	Yes
USB	USB2.0 (UVC1.1/UAC1.0)

Product specifications

Camera EVC400

General

Environment Indoor

Operating Temperature -10°C~50°C

Operating Humidity ≤80%

Power input 4.4~5.25V@500mA (USB port)

Dimensions (LxWxH) 395mm×113mm×112mm

Weight 0.32 KG

Color Black

EAN (EVC410) 8720387387168



EVERET

Everet Imaging

Kraanspoor 50
1033 SE Amsterdam
The Netherlands

+31(0)20 798 6654
www.everetimaging.com
info@everetimaging.com

twitter: @everetimaging

facebook: everetimaging

