

EVKB200N



NDI® PTZ Camera Controller

The Everet EVKB200N is a professional NDI® Camera Controller Keyboard with PoE for PTZ cameras. Fully compatible to use different protocols to control camera simultaneously with NDI/VISCA over IP/VISCA/ONVIF/IP.

Features:

- ▶ NDI®, IP & Serial Communication
- ▶ VISCA/VISCA-over-IP/Pelco-P & D Support
- ▶ 7 x Shortcut Channels, 128 Total Presets
- ▶ Power-over-Ethernet (PoE) Support
- ▶ Simultaneous Multi-Brand Camera Control
- ▶ OLED display blue for clear and easy operation
- ▶ Button backlighting
- ▶ Built-in speed rotation buttons so you can quickly and easily control the adjustment of the camera aperture, shutter, brightness and white balance
- ▶ OLED display for clear and easy operation
- ▶ 12 VDC Power Supply Included

Product specifications

Controller	EVKB200N
Webinterface	Yes
DHCP	Yes
Display	3.12" OLED screen, blue light, 256×64 pixels
Pan & Tilt Reverse	Yes
Max Camera Control	
NDI / IP	7
Visca / RS232 / RS422 / RS485	7
PELCO-P/D	255
Control Protocols	NDI® / NDI® HX / VISCA serial, VISCA over IP, VISCA TCP, VISCA UDP, ONVIF, PELCO-P, PELCO-D
Control Interface	3.5mm Line-in
RJ45	Ethernet port, PoE (IEEE802.3af)
RS232	DB9 male connector
RS422	3.81 spacing terminal, T+, T-, R+, R-
RS485	3.81 spacing terminal, T+, T-
Buttons & Knobs	
CAM selection	Yes, (7)
Home (return to default PTZ position)	Yes
Exposure Mode	Yes
WB (White Balance) mode	Yes
Red, Blue, Gain	Yes
Iris	Yes
Shutter	Yes
Brightness	Yes
One push	Yes
Focus	Yes
Auto/Manual focus	Yes
Presets	Yes (128)
Sharpness	Yes
WDR (Wide Dynamic Range)	Yes
Contrast	Yes
Saturation	Yes
Backlight compensation	Yes
Preset Speed	Yes
Pan Tilt Speed	Yes

Product specifications

Controller	EVKB200N
Zoom Speed	Yes
Zoom	Yes
Power/Reset	Yes
General	
Power input	DC12V 1A
Power Consumption	2W
Operating Temperature	-10°C~50°C
Operating Humidity	≤80%
Storage Temperature	-20°C~60°C
Storage Humidity	≤90%
Dimensions	320.5mm×156.5mm×118mm
Weight	1.05 KG
EAN (EVKB200N)	8720387387243



EVERET

Everet Imaging

Kraanspoor 50
1033 SE Amsterdam
The Netherlands

+31(0)20 798 6654
www.everetimaging.com
info@everetimaging.com

twitter: @everetimaging
facebook: everetimaging

